

Honesty

Devotion

Innovation



## E-Lins Technology Co., Limited



Phone: +86-755-33231620

Email: [sales@e-lins.com](mailto:sales@e-lins.com) [sales@szelins.com](mailto:sales@szelins.com)

Web: [www.szelins.com](http://www.szelins.com)

Add: 1007A, MinTai Bld., Minkang Road, Minzhi Street, Bao'an District, ShenZhen,  
518000, China

Honesty

Devotion

Innovation



## Factory Inside & Factory Office Corner



# Products profile



## > Wireless modem

- > 4G HSPA+ modem
- > HSPA/HSUPA/HSDPA/UMTS modem
- > EDGE/GPRS/GSM modem
- > EVDO/CDMA Modem
- > 4G HSPA+ Router
- > HSUPA/HSDPA/UMTS Router
- > EVDO/CDMA Router
- > 4G LTE Router

## > Pricelist and payment

## > Quality Accreditations

# 3G+/4G Modem



## 9100p

Ultra thin model

1. WCDMA UMTS/HSDPA/HSUPA/HSPA/HSPA+: UMTS2100Mhz  
GSM/GPRS/EDGE: 850/900/1800/1900MHz
2. HSPA+: DL 14.4Mb/s(Category 14);  
HSUPA: UL 5.76Mb/s(Category 6)
3. Support Data, Two Way SMS, Email
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows2000, Windows XP, Windows Vista , Windows 7, Ubuntu 8.04, Mac os x 10.4, support 64bits;
9. Support SIM/USIM Card; Support Lock SIM  
Support MicroSD card up to 32GB
10. Dimension: 90mm\*27mm\*10.5mm Weight: 22g

## 9100p+

Ultra thin model

1. WCDMA UMTS/HSDPA/HSUPA/HSPA/HSPA+: UMTS2100Mhz  
GSM/GPRS/EDGE: 850/900/1800/1900MHz
2. HSPA+: DL 21.6Mb/s(Category 14);  
HSUPA: UL 5.76Mb/s(Category 6)
3. Support Data, Two Way SMS, Email
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows2000, Windows XP, Windows Vista , Windows 7, Ubuntu 8.04, Mac os x 10.4, support 64bits;
9. Support SIM/USIM Card; Support Lock SIM  
Support MicroSD card up to 32GB
10. Dimension: 90mm\*27mm\*10.5mm Weight: 22g

# 3G HSUPA Modem



## E1550u

1. WCDMA UMTS/HSDPA/HSUPA: UMTS 2100Mhz, 850/1900/2100Mhz optional  
GSM/GPRS/EDGE: 850/900/1800/1900 MHz
2. 7.2Mbps download; 5.76Mbps upload
3. Support Data, Two Way SMS, Email
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows 2000/XP/2003/Vista/Win7 32/64 bits, Mac OS
9. Support SIM/USIM Card; Support Lock SIM
10. Built-in MicroSD card
11. Dimension: 85\*25\*10.5mm Weight: 25g  
Color: White, Black, Yellow optional

## 6500u

- Ultra thin model
1. WCDMA UMTS/HSDPA: UMTS2100Mhz or optional for 850/900/1900/2100Mhz  
GSM/GPRS/EDGE: 850/900/1800/1900MHz
  2. HSUPA: 14.4Mbps download; 5.76Mbps upload
  3. Support Data, Two Way SMS, Email, voice optional, USSD optional
  4. Two Way SMS and Data service simultaneously Operation
  5. Zero-CDROM for drivers
  6. USB2.0 interface
  7. High performance internal antenna
  8. Supported OS: Windows2000, Windows XP, Windows Vista , Windows 7, Ubuntu 8.04, Mac os x 10.4, support 64bits; Linux
  9. Support SIM/USIM Card; Support Lock SIM  
Support MicroSD card

## U1918

1. WCDMA UMTS/HSDPA/HSUPA: UMTS 2100Mhz  
GSM/GPRS/EDGE: 850/900/1800/1900 MHz
2. 7.2Mbps download; 5.76Mbps upload
3. Support Data, Two Way SMS, Email
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows 2000/XP/2003/Vista/Win7 32/64 bits, Mac OS
9. Support SIM/USIM Card; Support Lock SIM
10. Built-in MicroSD card

# 3G HSUPA Modem



## Vtion U1916

1. WCDMA UMTS/HSDPA/HSUPA: UMTS 2100Mhz  
GSM/GPRS/EDGE: 850/900/1800/1900 MHz
2. 7.2Mbps download; 5.76Mbps upload
3. Support Data, Two Way SMS, Email
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows 2000/XP/2003/Vista/Win7 32/64 bits, Mac OS
9. Support SIM/USIM Card; Support Lock SIM
10. Built-in MicroSD card

## Vtion U1912

Rotation USB type

1. WCDMA UMTS/HSDPA/HSUPA: UMTS 2100Mhz  
GSM/GPRS/EDGE: 850/900/1800/1900 MHz
2. 7.2Mbps download; 5.76Mbps upload
3. Support Data, Two Way SMS, Email
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows 2000/XP/2003/Vista/Win7 32/64 bits, Mac OS
9. Support SIM/USIM Card; Support Lock SIM
10. Built-in MicroSD card

# 3G HSDPA Modem



## E1550d

1. WCDMA UMTS/HSDPA/HSUPA: UMTS 2100Mhz  
Optional for GSM/GPRS/EDGE: 850/900/1800/1900 MHz
2. 7.2Mbps download; 384kpbs upload
3. Support Data, Two Way SMS, Email
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows 2000/XP/2003/Vista/Win7 32/64 bits
9. Support SIM/USIM Card; Support Lock SIM
10. Built-in MicroSD card

## 6500d

1. WCDMA UMTS/HSDPA: 2100Mhz, option for 850/900/1900/2100Mhz  
GSM/GPRS/EDGE: 850/900/1800/1900MHz
2. 7.2Mbps download; 384kpbs upload
3. Support Data, Two Way SMS, Email, Voice optional, USSD optional
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows2000, Windows XP, Windows Vista, Windows 7, Ubuntu 8.04, Mac os x 10.4
9. Support SIM/USIM Card; Support Lock SIM  
Built-in MicroSD card up to 8GB

## 5100

1. WCDMA UMTS/HSDPA: 2100Mhz, option for 850/900/1900/2100Mhz  
GSM/GPRS/EDGE: 850/900/1800/1900MHz
2. 7.2Mbps download; 384kpbs upload
3. Support Data, Two Way SMS, Email, Voice, USSD
4. Two Way SMS and Data service simultaneously Operation
5. Zero-CDROM for drivers
6. USB2.0 interface
7. High performance internal antenna
8. Supported OS: Windows2000, Windows XP, Windows Vista, Windows 7, Ubuntu 8.04, Mac os x 10.4
9. Support SIM/USIM Card; Support Lock SIM  
Built-in MicroSD card up to 8GB

# Modem Model Table



Series	Port	Network Support	Band	Marks
5100s	USB	3G only: HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot, Voice, SMS, Data, Phonebook, USSD
5100d	USB	3G only: HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot, Voice, SMS, Data, Phonebook, USSD
E1550d	USB	3G only: HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot, Voice, SMS, Data, Phonebook, USSD
6500d	USB	3G only: HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot, Voice, SMS, Data, Phonebook, USSD

# Modem Model Table



Series	Port	Network Support	Band	Marks
U1918	USB	3G only: HSUPA/HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA/HSUPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot,SMS,Data, Phonebook
U1916	USB	3G only: HSUPA/HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA/HSUPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot,SMS,Data, Phonebook
U1920	USB	3G only: HSUPA/HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA/HSUPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot,SMS,Data, Phonebook
E1550u	USB	3G only: HSUPA/HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA/HSUPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot, Voice, SMS, Data, Phonebook,USSD, Tablet PC support
6500u	USB	3G only: HSUPA/HSDPA/UMTS 3G & 2G support: HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA/HSUPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot, Voice, SMS, Data, Phonebook,USSD
9100p	USB	HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot, SMS, Data, Phonebook
9100p+	USB	HSUPA/HSDPA/UMTS/EDGE/GPRS	UMTS WCDMA UMTS/HSDPA/HSUPA: 2100Mhz Option for 850/900/1900/2100Mhz customize GSM/GPRS/EDGE: 850/900/1800/1900Mhz	SIM Card Slot, MicroSD card slot, SMS, Data, Phonebook

# 3G HSDPA/HSUPA/ EVDO Router



**H690**

Built-in HSPA+/HSUPA/HSDPA/EVDO Module, work under HSPA+/HSUPA/HSDPA/EDGE/GPRS/GSM network or EVDO/CDMA1x  
Band: UMTS HSDPA HSUPA HSPA+: 850/1900/2100Mhz or 850/900/1900/2100Mhz  
EDGE/GPRS/GSM: 850/900/1800/1900Mhz  
EVDO/CDMA1x: 800/1900Mhz;  
4G LTE: 700(B17)/AWS or 800/900/1800/2100/2600MHz or 700(B13)MHZ  
Data Speed:  
H690p: 21Mbps DL, 5.76Mbps UL;  
H690u: 7.2Mbps DL, 5.75Mbps UL;  
H690ev:3.1Mbps DL, 2.4Mbps UL;  
H690t: 100Mbps DL, 50Mbps UL;  
Supports WiFi 802.11b/g/n  
RJ45:one LAN port, one WAN port; One USB port for usb modem  
DMZ, DDNS, NAT & NAPT with VPN pass-through Virtual Server;  
Security through WEP, WPA and in-built firewall  
Automatic receipt of IP address with DHCP server



**H610**

Built-in HSUPA HSDPA Module, work under HSUPA/HSDPA/EDGE/GPRS/GSM or EVDO/CDMA1x network  
Band: UMTS HSDPA HSUPA: 2100Mhz or 850/900/1900/2100Mhz  
EDGE/GPRS/GSM: 850/900/1800/1900Mhz  
Data Speed: Data Speed: 7.2Mbps downlink at HSDPA and 5.75Mbps uplink at HSUPA;  
384kbps at UMTS/EDGE  
Supports WiFi 802.11b/g/n  
RJ45:one LAN port, one WAN port; DMZ, DDNS, NAT & NAPT with VPN pass-through Virtual Server;  
Built-in Battery with Capacity: Li-ion 1800mAh  
4-6 hours operation  
48 hours for idle time



**H880**

Built-in HSUPA/HSDPA/EVDO Module, work under HSUPA/HSDPA/EDGE/GPRS/GSM network or EVDO/CDMA1x networks  
Band: UMTS HSDPA HSUPA HSPA+: 850/1900/2100Mhz or 850/900/1900/2100Mhz  
EDGE/GPRS/GSM: 850/900/1800/1900Mhz  
EVDO/CDMA1x: 800/1900Mhz  
Data Speed:  
H880u: 7.2Mbps DL, 5.75Mbps UL;  
H880ev:3.1Mbps DL, 2.4Mbps UL  
Supports WiFi 802.11b/g/n  
RJ45:4 LAN port, 1 WAN port; DMZ, DDNS, NAT & NAPT with VPN, or VPN pass-through Virtual Server;  
Security through WEP, WPA and in-built firewall  
Automatic receipt of IP address with DHCP server

# Router Model Table



Series	Port	Network Support	Band	Marks
H690	RJ45 LAN * 1 RJ45 WAN *1 WiFi 802.11n	H690u: HSUPA/HSDPA/EDGE/GPRS/GSM  H690p: HSPA+/HSPA/HSUPA/HSDPA/EDGE/GPRS/GSM  H690ev: EVDO/CDMA1x	UMTS WCDMA UMTS/HSDPA/HSUPA/HSPA/HSPA+: 2100Mhz, or 850/1900/2100Mhz, option for 850/900/1900/2100Mhz customize  GSM/GPRS/EDGE:850/900/1800/1900Mhz  CDMA1x/EVDO: 800/1900Mhz	Built-in module, with sim card slot
H610	1 RJ45 switch for LAN/WAN  WiFi 802.11n	HSUPA/HSDPA/EDGE/GPRS/GSM	UMTS WCDMA UMTS/HSDPA/HSUPA/HSPA/HSPA+: 2100Mhz, or 850/1900/2100Mhz, option for 850/900/1900/2100Mhz customize  GSM/GPRS/EDGE:850/900/1800/1900Mhz	Built-in module, with sim card slot  Built-in battery
H880	RJ45 LAN * 4 RJ45 WAN *1 WiFi 802.11n	H880u: HSUPA/HSDPA/EDGE/GPRS/GSM  H880ev:EVDO/CDMA1x networks.	UMTS WCDMA UMTS/HSDPA/HSUPA/HSPA/HSPA+: 2100Mhz, or 850/1900/2100Mhz, option for 850/900/1900/2100Mhz customize  GSM/GPRS/EDGE:850/900/1800/1900Mhz  CDMA1x/EVDO: 800/1900Mhz	Built-in module, with sim card slot, external replaceable antenna

# iPad Mate



## iPadMate100

multi-function iPad cases: case + port extender  
+ 3G + WiFi AP + Mobile Storage Centre;  
Built-in Battery with Capacity: Li-ion 3000mAh  
5-7 hours operation;  
With USB port for 3G dongle modem;  
802.11b/g/n Wi-Fi to be WiFi AP  
Details:  
[http://www.szelines.com/download/IpadMate100\\_Datasheet\\_Eng.pdf](http://www.szelines.com/download/IpadMate100_Datasheet_Eng.pdf)



# Quality Accreditations

